

# Hop Industries Corporation

201-438-6200

## Thermoforming Grade Rigid PVC

Current Inventory Listing - Lyndhurst, New Jersey

11/16/2018

[www.hopindustries.com](http://www.hopindustries.com)

Mil	Width	Coating	Lb	Core	Diameter (")	Roll Wt (lb)
7.5	18	Two Side	1,711	3	16.25	177
	18.75	Uncoated	7,028	3	15	152
	27	Uncoated	6,538	3	15	224
10	14	Uncoated	0	3	15	116
	16	Two Side	3,705	3	15	133
	17	One Side	3,408	3	20	256
	18.75	One Side	2,411	3	20	282
	20.5	One Side	3,844	3	20	308
	22	One Side	5,376	3	14	158
	23	One Side	233	3	20	346
	25.5	One Side	3,112	3	20	384
	27	One Side	3,527	3	20	406
12	18.75	One Side	1,637	3	20	282
	20.5	One Side	7,185	3	20	308
	22	One Side	2,774	3	14	158
	26.5	One Side	9,420	3	20	399
15	16.5	Uncoated	3,215	3	15	137
	17	One Side	5,043	3	20	256
	18.5	One Side	11,748	3	20	278
	18.75	One Side	13,668	3	20	282
	20.5	One Side	8,038	3	20	308
	22	One Side	4,455	3	20	331
	22	Uncoated	3,838	3	20	331
	23	One Side	8,315	3	20	346
	24.5	One Side	2,553	3	24.5	557
	26.5	One Side	6,372	3	26.5	707
	27	One Side	7,162	3	20	406
	27	Uncoated	5,067	3	20	406
	31.5	One Side	3,415	3	22	576
18	31.5	One Side	10,232	3	22	484
20	17	One Side	7,869	3	20	256
	18.5	One Side	9,198	3	20	278
	18.75	One Side	8,121	3	20	282
	20.5	One Side	6,932	3	20	308

20	20.5	Uncoated	7,133	3	21.5	357
	20.75	One Side	3,610	3	20	312
	20.75	Uncoated	10,291	3	20.75	336
	22	One Side	6,408	3	20	331
	22	Uncoated	0	3	20	331
	23	One Side	2,440	3	20	346
	26	Uncoated	1,647	3	21	432
	26.5	One Side	11,145	3	20	399
	27	One Side	11,949	3	20	406
	27	Uncoated	5,548	3	13	166
	31.5	One Side	29,403	3	22	576
24	17	One Side	5,625	3	20	256
	18.5	One Side	9,289	3	20	278
	18.75	One Side	11,438	3	20	282
	19	One Side	3,344	3	20	286
	20.5	One Side	8,075	3	20	308
	20.75	One Side	8,577	3	20	312
	22	One Side	8,841	3	20	331
	23	One Side	6,376	3	20	346
	24.5	One Side	6,111	3	20	368
	26.5	One Side	7,981	3	20	399
	27	One Side	6,813	3	20	406
	31.5	One Side	2,279	3	22	576
30	16	Uncoated	13,035	3	20	241
	18.5	One Side	6,261	3	20	278
	18.75	One Side	2,965	3	20.5	297
	19.5	One Side	0	3	21	324
	20.5	One Side	4,833	3	20.5	324
	20.75	One Side	11,195	3	20	312
	22	One Side	4,071	3	20	331
	23	One Side	10,421	3	20	346
	24.5	One Side	0	3	20	368
	26.5	Uncoated	5,488	3	20	399
	27	One Side	3,852	3	20	406
	30	One Side	0	3	20	451
	31.5	One Side	8,538	3	22	576
	40	15.5	Uncoated	1,342	3	22
22		Uncoated	8,167	3	20.5	348
22.5		One Side	1,464	3	21	374
27		Uncoated	10,472	3	30	925

\* One Side coating is coated outside



